

Лабораторный реактор STEM Integrity 6

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eaz@nt-rt.ru || сайт: <https://electrothermal.nt-rt.ru/>

STEM Integrity 6

Reaction Station

The STEM Integrity 6 Reaction Station enables you to conduct 6 different reactions simultaneously within the same reaction unit, each reaction being conducted within its own cell, at its own individual temperature and stir rate. If desired, fast heating and cooling rates can be selected, with temperature ramps of between 0.1°C/min to 5°C/min. There is also a crash function for even faster temperature changes, which is ideal for kinetic determinations.

Extreme temperature accuracy is guaranteed, with a temperature stability of $\pm 0.2^\circ\text{C}$ and a maximum set point overshoot of 0.1°C. The temperature may be maintained either through the block itself or by using a probe within each cell's solution.

This accuracy can be maintained over a wide temperature range of -30°C to 150°C , with precise, independently controlled temperature profiles, and homogeneous sample mixing may be assured with stirring rates of between 0rpm to 1300rpm using magnetic stirrers.

With working volumes of between 10ml to 50ml, the STEM Integrity 6 is an excellent screening tool for most laboratories and can also be used to establish ideal process conditions.

Technical Specification

Number of positions	6
Cell cavity diameter	40.5 mm
Cell working volume	10 – 50ml
Glass vessel fill level	2 - 25 ml
Temperature range	-30 to + 150°C
Temperature difference between any two positions	180°C
Temperature overshoot (max)	0.1°C
Max. controlled heating/cooling rate	5°C/min
Controlled heating/cooling ramp rate	0.1°C/min to 5°C/min in 0.1°C/min steps
Stir speed range	0 - 1300rpm/min
Viscosity capacity	glycerine at 25°C
Recommended stir bars	12/ 4.5 mm (cylindrical) or 10/ 6 mm (oval)

Measured external temperature (optional thermometer) range

Temperature range	-40 to + 160°C
Temperature resolution	$\pm 0.01^\circ\text{C}$
Temperature accuracy	$\pm 0.5^\circ\text{C}$
Stirrer speed range	350 - 1200/min
Stirrer resolution	1rpm/min
Stirrer accuracy	$\pm 10\text{rpm/min}$
Electrical requirements	230V, 50/60Hz, 1500W
Dimensions (unit) (w x d x h), mm	153 x 430 x 160
(power supply), mm	153 x 415 x 160
Weight (unit), kg	9.5
(power supply), kg	10.5

Key Features

- 6 individual cells in one reaction block
- Individual control of temperature and stirring rate for each cell
- Temperature range of -30°C to 150°C
- Stirring rate of 0 rpm- 1300 rpm
- Cell working volume of 10ml- 50ml
- Optional attachments for refluxing, and working under vacuum or inert gas conditions
- Optional multi-infrared probes for solubility/ crystallisation studies
- Automatic microprocessor control through a touchscreen
- Warranty: 3 years parts and labour



STEM Integrity 6
Reaction Station

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eaz@nt-rt.ru || сайт: <https://electrothermal.nt-rt.ru/>